



Green Computing – A Survey of the Current Technologies

Anindya Bose*, Sanjay Nag

Department of Computational Science, Brainware University, West Bengal 700125, Kolkata, India

Correspondence E-mail: anindyabose04@gmail.com*, dsn.cs@brainwareuniversity.ac.in

Abstract

Cloud computing is a dynamic technology with various application spheres because of its scalability, cost-effectiveness, and reliability. However, since the energy demand for information and Communication Technologies (ICT) is on the rise, cloud computing is facing new challenges related to environmental protection, power consumption, energy efficiency, and carbon dioxide emissions. The latest technologies that strive for sustainable energy efficiency and a reduced e-waste and carbon footprint are constantly being researched and deployed. These technologies have the potential to transform cloud computing into green cloud computing. In this survey, the authors investigated recent research methodologies such as algorithm-based, architecture-based, framework-based, model-based, methods-based, and general issue-based approaches. Many of these research projects are still in their infancy and are yet to be commercially implemented. The last thing that was talked about was some future research trends and some of the open challenges in green cloud computing.

Keywords: Cloud Computing; Green Cloud Computing; ICT; E-waste; Carbon Footprint

Introduction

A. Green Computing

It has been found that approximately 24 million computers are discarded. Only 14% of these are recycled, and the rest are destroyed as waste products. Most of this e-waste is dumped in developing countries. The burning of these wastes creates a type of acid and another chemical waste that ultimately ends up in the river, polluting the water and harming the aquatic life. These eventually end up in our food system and do irreversible health damage. The International Telecommunication Union (ITU) published a report that e-waste is increasing rapidly in different continents and has reached a global high. E-waste production continent-wise is shown in Figure 1.




Figure 1: Worldwide e-waste generation graph (Baldé *et al.*, 2017)

The EU first addressed this issue by manufacturing computers that are free of toxic materials and taking back their old products, which they recycled. Green technology since then has become a common practice in the computer industry. Apple became the pioneer in Green Computing. Green Computing aims to ensure the reduced use of hazardous substances, boost energy efficiency, and promote the recyclability of waste products. The Environmental Protection Agency (EPA) of the USA launched the Energy Star Program in 1992, which was designed to endorse energy-efficient technologies in computers. At the same time, TCO Development, a Swedish company, launched the TCO Certification Program to promote low magnetic and electrical emissions from CRT-based displays. This was later enhanced to include criteria for energy consumption and the use of hazardous materials in manufacturing.

The use of "green computing" reduces carbon dioxide emissions. It was found that information and communication technology (ICT) contributes to approximately 20% of the carbon dioxide emissions worldwide and 16% of global warming. Organizations nowadays store their data in the cloud, which replaces the big, energy-consuming servers. At the individual level, energy conservation can be implemented using surge protectors, which cut off the power supply to the peripheral machines when the main computer is switched off. The green computing model a data centre needs to adopt is shown in Figure 2.




Figure 2: Green computing model for a data center

Manufacturers are forced to follow the guidelines of environmental regulations and develop ICTs that have a minimum negative effect on the ecosystem. Cloud computing and its effect on the environment are recently being studied as a subfield of ICT to promote Green Computing and sustainable development. As a result, green cloud computing is inextricably linked to the development of green data centers. The energy consumption of the data centres contributed to 1.3% of average energy consumption in 2010. The carbon dioxide emissions from ICTs contributed to 1.3% and 2.3% of global emissions in 2002 and 2020, respectively. According to Cloud Energy and Emissions Research (CLEER), data centers' energy consumption can be reduced by up to 87% if all businesses switch to cloud computing (Masanet, 2013).

1. Cloud Computing Overview

According to Katz, data centres leave a carbon footprint, which is the result of powering and cooling. The carbon emission from data centres exceeds the carbon emission of Argentina and the Netherlands combined. With the growing need for fast data processing, the demand for larger servers and more powerful chips has also grown. Cloud computing has completely eliminated the use of physical servers. With the increase in the use of cloud computing, there has been an increase in power consumption and subsequent carbon dioxide emissions. One of the big challenges of cloud computing is to minimize energy consumption while satisfying the demand for faster processing. Thus, cloud computing integrates existing technologies to optimize physical resources such as networks, servers, storage, etc., and logical resources such as applications and services.

Cloud computing has become an important paradigm because it performs not only dynamic, high-capacity computations but can also access complex applications and data archives without the help of additional computing resources. The three different cloud computing models are Infrastructure as a Service (IaaS), Platform as a Service (PaaS), and Software as a Service (SaaS). SaaS provides services to end-users only, while the other two provide services to developers and independent vendors. SaaS and PaaS both provide software-level energy optimization through green cloud computing to reduce carbon dioxide emissions and e-waste.

Though there are issues related to interoperability, software and hardware architecture, and data transfer, organizations are shifting to cloud computing because of the benefits it accrues. Cloud computing technologies are making headway despite some of the security issues that still exist.

2. Green Cloud Computing Overview

As cloud computing has become more prevalent, the energy usage of the network and computing resources that reinforce the cloud has also grown. It has been found that there are circumstances when cloud computing absorbs more power than traditional computing. When we append the word "green" to cloud computing, it means we are talking about a notion related to the reduction in energy consumption and e-waste. Green cloud computing is concerned with the design, production, use, and disposal of computers and servers in such a way that the negative effect on the environment is reduced. Some of the practices associated with green cloud computing are shown in Figure 3 (BDAN, 2019).




Figure 3: Practices associated with green cloud computing

Techniques that Revolutionized Green Cloud Computing

There are three techniques that revolutionized green cloud computing:

- i. Nano Data Centres: Computing and storage services are provided using ISP-controlled gateways. They are more energy-efficient than conventional data centers, self-adaptable, self-scalable, and ensure cost-effective heat dissipation.
- ii. Dynamic Voltage Frequency Scaling: Energy consumption is reduced and controls the utilization of resources.
- iii. Virtualization: A single resource, physical or application, is shared with multiple organizations simultaneously.

B. QoS Issues in Cloud Computing

QoS is the ability of a system to deliver certain levels of performance. It is the sum total of the stated and implied requirements of the users. The QoS approach to cloud computing considers both performance and security concerns. The determination of QoS is based on the fulfilment of both functional and non-functional requirements. The non-functional attributes of cloud computing are reliability, flexibility, performance, security, and usability.

Reliability of the system is associated with the availability of the system, fault tolerance ability, safety, and privacy. Flexibility involves scalability, portability, and interoperability. Performance deals with response time, efficiency, throughput, etc. Security involves accountability, confidentiality, integrity, and audit trails. Usability is concerned with the user experience. Besides these, consumption patterns are another vital parameter in cloud computing. Attributes of QoS are usually specified in the service-level agreement (SLA). In fact, QoS is the major factor for a sustainable SLA. Some of the attributes like throughput and response time may vary greatly and hence need to be continuously monitored in order to respect the SLA by the service provider.

There are several challenges in the QoS management of cloud computing. Resource allocation and performance heterogeneity have introduced substantial impediments in the implementation of QoS in cloud computing. Other factors are the period of time the connections are dropped, latency, response time, and the loss of data packets.

C. Green IT Areas of Cloud Computing

Some of the major areas of concern of green cloud computing and the probable solutions are listed in Table 1.

Table 1: Overview of the major areas of concern of green cloud computing and some of the probable solutions

Area of Concern	Probable Solutions
Power management	<ol style="list-style-type: none"> 1. Use of renewable energy by the data centers and the cloud service providers. 2. Active cooling control to optimize power usage. 3. Server consolidation. 4. Compilation technology optimization to moderate the processor power consumption. 5. Designing scheduling algorithm.
Minimization of carbon dioxide emission and greenhouse gases.	<ol style="list-style-type: none"> 1. Development of energy-conscious task consolidation modules.

	2. Analysis of carbon footprints in data centers.
Energy efficiency	<ol style="list-style-type: none"> 1. Analysis of resource deployment directly related to energy consumption. 2. Analysis of energy consumption based on the types of services. 3. Virtual machines and dynamic load allocation. 4. Designing scheduling algorithm.
Cost efficiency and green plan	<ol style="list-style-type: none"> 1. Pricing plan and chargeback model. 2. Incentives for energy-conscious end users.

The rest of the paper is arranged as follows: the methodology of the survey is given in Section 2, in Section 3 research trends in green cloud computing are discussed, and finally, in Section 4 the conclusion of the survey along with some of the open problems of green cloud computing technology on which research can be carried out in future was discussed.

Results and Discussion

To understand the recent trends in green cloud computing research, the authors have surveyed various academic works and non-academic articles. The former included research papers from conferences and journals, technical reports, and books. For the best research works in the field, various databases such as Scopus, Google Scholar, ACM Digital Library, Science Direct, and others were searched. The keywords used for searching were "cloud computing", "green computing", "green IT", "green cloud computing", "sustainable cloud computing" etc. A total of 108 research papers and other articles have been consulted and, of these, 66 have been reviewed by the authors. The inclusion and exclusion criteria for an article are given in Table 2. The distribution of the primary studies is shown in Figure 4 over the years. It can be noted that the research was picked up in 2015–2016. An outline of the selection process is given in Table 3.

Table 2: Inclusion and exclusion criteria of the research articles for the survey

Inclusion Criteria	
1.	Papers that proposed novel software/hardware-based architecture that addresses the issues related to energy efficiency, reduction in power consumption, reduction in carbon footprint, etc.
2.	Review articles by other academicians.
3.	Research papers published in peer-reviewed journals or in standard conferences such as Springer, IEEE etc.
4.	Any research work that addresses energy efficiency as a key factor.
Exclusion Criteria	
1.	Articles in non-peer-reviewed journals
2.	Articles that do not address the optimization of energy efficiency or power consumption.
3.	Studies that increase the energy or power consumption efficiency of the data center without considering the energy-efficient service to the end-users.




Figure 4: Distribution of the primary study year-wise

Table 3: Outline of the selection process

Step	Articles Rejected	Articles Remained
Primary Search	x	108
Title check	9	99
Abstract check	17	82
Full Article	16	66

Research Trends in Green Cloud Computing

Gartner reported that ICT industries worldwide contributed to 2% of the carbon dioxide emission. Liu *et al.* (2009) had proposed the Green Cloud architecture in 2009 to reduce the energy consumption by the data centers. The research works based on green cloud computing and green computing as a whole gained momentum since 2009. Figure 5 shows the number of published works since 2009 in different categories and the different environmental issues addressed in these papers are shown graphically in Figure 6.




Figure 5: Different approaches in the green cloud computing-based research (Radu, 2017)




Figure 6: Various environmental issues addressed by these research works (Radu, 2017)

Research on green cloud computing can be divided into five different fields of studies – models and methods, architecture, frameworks, algorithms, and general issues. These research proposals focused on issues related to improvement in energy efficiency, reduction in operational cost, efficient management of hardware and software resources of data centers, and reduction in e-waste and carbon dioxide emission.

A. **Algorithm Based Approach**

To handle the power consumption problems related to Internet services, dynamic allocation of servers has proved to be an effective method to turn off servers not in use. Yang *et al.* (2011) proposed greening the power management (GPM) of physical machines using virtualization technology and achieved a substantial improvement over the traditional method. Logical separation of the service from the physical resources allows the system to run the operating system and the applications in an environment that is separate from the physical system.

Virtual machines (VM) are allocated on demand for a short interval of time, thus requiring them to be served quickly. A proficient resource allocation algorithm was proposed by Lee, Jeong and Jang (2014) to allocate VMs to the proper host nodes so that a large number of requests for resources could be served in a shorter time. Azaiez, Chainbi and Chihi (2014) used a genetic algorithm (GA) based scheduling algorithm to allocate cloud resources in order to reduce carbon dioxide emissions and minimize energy consumption.

A generic security-sensitive scheduling model was developed by Kolodziej *et al.* (2014) for computational grids to reduce the power consumption in cyber-physical systems. In the proposed scheduling model, they introduced two more criteria for scheduling, viz., security and energy consumption. The models they presented are not just restricted to the grid system but can be extended to the cloud environment as well.

Xu *et al.* (2014) proposed a green cloud task scheduling (GCTS) algorithm based on the binary particle swarm optimization (PSO). The matrix computation of binary PSO was replaced by a pipeline number. Particle position and velocity were redefined to successfully evade the matrix operations and improve resource consumption. In another work, simulation annealing was used for scheduling the tasks to achieve maximum workload balance and resource utilization and a reduction in power consumption in a cloud computing environment (Xu, Cao, & Wang, 2016). Ferreira *et al.* (2015) proposed an algorithm called Power Load Distribution Algorithm in Depth search (PLDA-D) that is capable of reducing the power consumption of electrical infrastructure. The case studies confirmed that the operational energy

improved by 17.8% and the power consumption improved by 2.95%. Kaur and Midha (2016) focused on preemptive scheduling to estimate the energy consumed by the computing servers in scheduling the jobs. They proposed an energy-efficient scheduling algorithm that implements a priority-based preemptive job scheduling algorithm for cloud computing with the aim of reducing the power cost.

The stochastic optimization problem was formulated by Zhang *et al.* (2016) to address the issues related to energy sustainability and channel allocation. The problem was solved using a net gain optimal algorithm that was capable of making a control decision without prior knowledge of the stochastic processes. Reduction in energy consumption and SLA violations can be achieved using VM migration and consolidation. Two VM placement heuristics have been proposed by Huang, Wu and Moh (2014), which were scalable and efficiently reduced the number of VM migrations, SLA violations, and lowered the energy consumption. They had improved upon an existing Least Increase Power (LIP) algorithm with Host Sort Algorithm (HSA) and proposed Best Fit Host (BFH) algorithm to find the most suitable host for each VM and Best Fit VM (BFV) algorithm to find the best set of migrated VMs from the list of migrated VMs. A dynamic VM consolidation approach was proposed by Farahnakian *et al.* (2015) to remove needless VM migration and reduce SLA violations using the utilization prediction model. Lin, Liu and Guo (2015) proposed a VM placement algorithm that takes into account multi-dimensional resource allocation such as CPU, memory, network bandwidth, etc. This system not only met the operational costs but also met the QoS requirements of the cloud environment.

Koutsandria *et al.* (2016) proposed a technique to reduce the energy usage and the delay related to profit. Their proposed migration system was implemented using an improved version of the Energy Conscious Task Consolidation (ECTC) algorithm. They had taken into account both the QoS needs of the customer and the profit of the service provider. The system performed efficiently with a smaller load. To address the issue of energy consumption in the data centers, Long and Ji (2016) designed a power-efficient immune clonal optimization algorithm for task scheduling. The clonal selection algorithm, which is a special class of immune algorithm, was proposed by Shu, Wang and Wang (2014) to improve the cost-efficiency and power consumption in large-scale clouds. Liu proposed a model to reduce energy consumption by cloud computing. This model made use of the clonal immune algorithm and suggested a green cloning scheduling optimization. This algorithm efficiently reduced the execution time, energy consumption, and resource utilization as well as improved the scheduling efficiency (Liu, Shu & Zhang, 2016).

B. Architecture-Based Approach

Kliazovich, Bouvry and Khan (2012) presented a simulation environment for cloud computing-based data centers. This simulator not only addressed the workload delivery problem of the data centers but also captured the details of energy consumption by the various devices in the data centers and the communication pattern at the packet level in a real-life setup. The CyberGuarder, a virtualization security assurance architecture, was proposed by Li *et al.* (2012) to address numerous security-related issues of green cloud computing. It provides a security service for VM and virtual networks, along with a policy-based trust management service.

QoS in cloud computing is provided by the Metascheduler Architecture (MACC). It is possible to extend this solution to the green IT platform. A variation of GreenMACC was proposed and evaluated by de Carvalho Junior *et al.* (2016). In their pioneering work, Fioccola *et al.* (2016) proposed a new energy-aware resource arrangement framework for distributed cloud infrastructures. The aim of their work was to show how both network and IT resources could be managed in a typical optical backbone while keeping the overall power consumption and carbon footprint to a minimum. The proposed system architecture consisted of three layers—physical, virtual, and management layers.

Integrated Green Cloud Architecture (IGCA) that consisted of client-centric Green Cloud Middleware for the reduction in energy consumption for both private and public clouds was proposed by Hulkury

<https://doi.org/10.46977/apjmt.2022.v03i02.001>

and Doomun (2012). This middleware took into account some of the features of the real cloud scenario, such as heterogeneity of hardware, the capacity of the server, and networking. Based on the concept of hybrid optical switching (HOS), Fiorani *et al.* (2014) proposed an integrated intra-data-center and core network architecture. The core network offers connectivity between data centers, and between data centers and IP networks. An intra-data-center is responsible for providing connectivity among the servers in a data center. Compared to the non-integrated HOS solution, the proposed architecture provided better energy efficiency.

To reduce the cost associated with energy, it has become essential to guarantee energy efficiency at all layers of the cloud. A system architecture was proposed by Alzamil *et al.* (2015) to profile and evaluate the energy efficacy of cloud infrastructure resources. They implemented the architecture in an existing cloud to support energy-aware profiling. An energy modeller has been presented that permits energy awareness at the VM level.

To facilitate the autonomic service routing protocol to create an energy-efficient path in a collective cloud architecture, Itani *et al.* (2015) designed and implemented a novel green-route which independently selected the optimum set of composite service mechanisms capable of supporting the most effectual energy consumption characteristics among a set of providers for executing a specific service request. The outcome was an improvement in energy savings in the general cloud architecture. Saponara, Coppola and Fanucci (2012) proposed an architecture for IaaS that was based on ARM with the inclusion of a new A64 64-b extended instruction set. It enables the use of Advanced RISC Machines (ARM) cores in the server. This guarantees huge savings in energy because ARM chips ensure speed as well as reduced power consumption, leading to reduced cooling.

Tyurin and Kamenskih (2017) proposed a synthesis technique for fault-tolerant delay-insensitive circuits. The implementation of this method would help the developers of green hardware to minimize energy consumption and increase the performance and reliability aspect of QoS.

C. Framework Based Approach

A carbon-aware green cloud architecture was proposed with the aim of reducing the carbon footprint but without affecting the QoS performance of the system. The result was evaluated with respect to the IaaS cloud. A framework for the auto management of the resources of cloud computing was proposed by (Guazzone, Anglano and Canonico (2011) to reduce energy usage at the system level. Their goal was achieved using VM migration, which had shown a noteworthy improvement in energy consumption when compared to frameworks that did not allow VM migration.

Instead of VM, a virtual data center can also reduce energy consumption and the emission of greenhouse gases. A dynamic migration algorithm using Software Defined Networking (SDN) was proposed by Anan and Nasser (2015) with respect to the SLA. This method placed the VMs dynamically in a green computing cluster. The outcome is the higher utilization of servers in the data centers. Idle servers could be turned off, leading to power savings.

Traditional green computing solutions focus on reducing the performance of the cloud data center hosts. Chang *et al.* (2015) proposed a novel framework to improve energy efficiency using VM allocation to minimize power consumption in a data center. The proposed technique shortened the switching time of the server from the low power state to a working state. This method not only made the data centers energy efficient but also reduced their operational costs.

The size of the data is another contributing factor in the energy consumption of a data center in a cloud computing scenario. An adaptation framework, driven by the extraction of data value from the dataset of a given application, was proposed by Ho and Pernici (2015). This framework treated the data according to its significance. An optimization framework for the management of green data centers was

proposed by Pahlevan *et al.* (2017) A multilevel energy reduction technique was used to obtain an approximate 96% cost savings in electricity consumption.

D. Models and Methods Based Approach

The sustainability of the data centers and clouds was evaluated by Bash *et al.* by building economic, ecological, and social models and then projecting them on various resources such as IT equipment, cost of power supply, source of power, etc. A prototype of this model was implemented on the Open Cirrus Cloud testbed. Cloud computing works with heterogeneous devices across various data centers. To exploit this property of the cloud Garg *et al.* (2011) proposed a near-optimal scheduling strategy taking into account different energy efficiency aspects such as workload, CPU power efficiency, rate of carbon dioxide emission, energy cost, etc. Many of these aspects are dependent on location, architecture, and the management of the data center. The proposed design was able to achieve about 25% energy savings when compared to other profit-based scheduling strategies.

VM migration to deliver distributed services to various data centers in a cloud architecture maximizes the utility of resources and minimizes the computational cost. However, it causes huge energy consumption and carbon dioxide emissions. An integer programming-based migration model was proposed that can be used to find the trade-off between energy consumption and the carbon footprint. Nonde, Elgorashi and Elmigahni (2016) developed a Green Virtual Networking Embedding (GVNE) using mixed energy linear programming (MELP) to optimize non-renewable power consumption and carbon footprint. The model was found to reduce carbon dioxide emissions by 32%.

Auto-scaling is a technique in cloud computing to dynamically allot resources to applications depending upon their current load. This eliminates idle resources and prevents the wastage of energy. A model-driven auto-scaling infrastructure was proposed by Dougherty, White and Schmidt (2012) for configuration, energy usage, and operational cost. This model could be transformed into a constraint satisfaction problem (CSP) for configuration and minimization of energy consumption. The electricity consumption of the data centers can be controlled by the efficient utilization and scheduling of resources. Chaudhry, Ling and Manzoor (2012) proposed a thermal-aware scheduling and monitoring method to maintain a green yet cost-effective cloud computing system. Hussein, Alkabani and Mohamed (2014) used a fuzzy logic-based approach to address the power management-related problems of data centers. They took into consideration the historical workload data of the VMs and used that to propose a fuzzy rule-based scheduling system to allocate the VMs to different hosts in data centers. Simulation with 50 hosts and 100 VMs achieved a 30% - 40% decrease in power consumption compared to non-fuzzy-based algorithms. However, due to the increase in VM migration, the SLA increased by 32% - 35% leading to a rise in the execution time of VM reallocation.

A complete data center resource management scheme was proposed by Luo *et al.* to achieve both improved QoS and improved green computing objectives. A single resource allocation algorithm may not be sufficient to handle the data center resources, which are quite large in number. They had suggested a modified shuffled frog leaping algorithm to address the resource allocation problem of the VMs. SLA compliance is ensured by turning off idle or underutilised hosts. Idle or under-utilized resources also consume a considerable amount of energy. Effective task consolidation can free up such resources. A heuristic search strategy can be used to search for a resource that would consume minimal energy both implicitly and explicitly without compromising performance. The task is then assigned to such a resource. An energy-aware trust-and-reputation system (TRS) based VM allocation technique was proposed for cloud data centers to reduce energy usage. Their results showed about a 32% improvement in energy consumption when compared to the non-energy-aware-based systems.

The deployment of an effective energy-saving strategy gives rise to conflict between cloud users and owners. A software-based model can enable cloud users to specify their inclination to apply energy-saving methods to some of their virtual resources. This gives the infrastructure managers the ability to

<https://doi.org/10.46977/apjmt.2022.v03i02.001>

apply effective load consolidation and to switch their hardware to very low-power states. Arthi and Hamead (2013) analyzed the performance of some of the energy-saving models in use and proposed a novel energy-aware technique where the main features of consideration are energy efficiency. This design included a trigger engine that could initiate auto migration of VM to guarantee energy efficiency. Cappiello *et al.* (2015) considered energy utilization from the application viewpoint. They proposed a method to manage the assignment of applications to the VMs in such a way that the impact on the environment is minimized. They also proposed a novel technique for predicting future emissions trends and recommending appropriate deployment.

E. General Issues

Case studies involving state-of-the-art data centers found that the server utilizations were very high, leading to the high usage of the cooling systems, which is a source of huge energy consumption. There has been a general unwillingness to sacrifice the QoS and as result, many data centers and cloud service providers refuse to explore experimental products that can reduce power consumption, e.g. network solutions like ElasticTree use algorithms and alternative network topologies to optimize the power utilization, however, many companies insist on continuing with the traditional network switches and topologies.

Data centers and cloud providers should always be held accountable for the environmental damage caused by them. The financial cost of this damage is charged back to the consumers. There is a need for linking the data center services to the consumers in such a way that they realize their role in the environmental damage and also that there is clarity about the reasons for the chargeback. Thakur and Chaurasia (2016) made a comprehensive study of the green cloud architecture with an emphasis on Green Cloud Middleware which is in charge of doing the following tasks:

- i. Incoming tasks are scheduled by the scheduler.
- ii. The cost calculator calculates the cost of performing a task.
- iii. Application profiler searches for a suitable application.
- iv. The carbon emission calculator keeps track of carbon emission quality.

There are six vital planes in big data enterprise which are responsible for the highest energy consumption for highest energy consumption in a data center. They surveyed the best strategies for reducing the energy consumption of these planes.

Conclusion

Major power consumption takes place in the data centers leading the cloud service providers to worry about the energy-efficiency issue. A harmonious relationship is sought between the cloud service providers, data centers, and ICT equipment producers. Another aspect of cloud computing is the need to address the issues related to e-waste. Cloud technologies, thus, need to be implemented keeping in mind the minimum negative impact on the environment. Green computing models try to find solutions that would help amalgamate the existing technologies with the new techniques to ensure energy efficiency and a reduction in e-waste and carbon footprints.

In this survey, the authors identified five main approaches: algorithm-based, architecture-based, framework-based, models and methods-based, and approaches based on general issues. It appears from Figure 7 that the algorithm-based approach is the most widely employed strategy for the effective implementation of energy efficiency in the cloud environment.




Figure 7: Number of research works consulted for each type of approach

The end-users are found to have the least involvement in the whole energy optimization process. It is thus necessary to create user alertness for the sake of both cost and environmental benefits. In the course of the survey, the authors noted that research needs to be carried out in the following domains:

- i. Since the current cloud architecture design consists of multi-core CPUs the energy optimization for such designs is necessary.
- ii. Intelligent power consumption system for energy optimization.
- iii. Intelligent system technologies for automated VMs creation and resource allocation without hampering the performance of the cloud.
- iv. QoS issues, especially the privacy and security aspects, for multi-tenant architecture is another challenge in the area of green cloud computing.
- v. Intelligent support for server downtime management, carbon emission calculation, etc. are other key aspects of green cloud computing that are still under-explored.

Acknowledgement:

The authors would like to thank the administration of Brainware University.

Conflict of Interest:

The authors have no conflict of interest.

References:

- Alzamil, I., Djemame, K., Armstrong, D., & Kavanagh, R. (2015). Energy-aware profiling for cloud computing environments. *Electronic Notes in Theoretical Computer Science*, 318, 91-108.
- Anan, M., & Nasser, N. (2015, December). SLA-based optimization of energy efficiency for green cloud computing. In *2015 IEEE Global Communications Conference (GLOBECOM)* (pp. 1-6). IEEE.
- Arthi, T., & Hamead, H. S. (2013, April). Energy aware cloud service provisioning approach for green computing environment. In *2013 International Conference on Energy Efficient Technologies for Sustainability* (pp. 139-144). IEEE.
- Azaiez, M., Chainbi, W., & Chihi, H. (2014, April). A Green Model of Cloud Resources Provisioning. In *CLOSER* (pp. 135-142).

<https://doi.org/10.46977/apjmt.2022.v03i02.001>

Baldé, C. P., Forti, V., Gray, V., Kuehr, R., & Stegmann, P. (2017). *The global e-waste monitor 2017: Quantities, flows and resources*. United Nations University, International Telecommunication Union, and International Solid Waste Association.

BDAN (26th July 2019). Green Cloud Computing – The Sustainable Way to Use the Cloud. <https://bigdataanalyticsnews.com/green-cloud-computing-sustainable-use>

Cappiello, C., Ho, N. T. T., Pernici, B., Plebani, P., & Vitali, M. (2015). CO 2-aware adaptation strategies for cloud applications. *IEEE Transactions on Cloud Computing*, 4(2), 152-165.

Chang, Y. C., Peng, S. L., Liao, Y. H., & Chang, R. S. (2015). Green computing: An SLA-based energy-aware methodology for data centers. In *Intelligent Systems and Applications* (pp. 1345-1354). IOS Press.

Chaudhry, M. T., Ling, T. C., & Manzoor, A. (2012, November). Considering thermal-aware proactive and reactive scheduling and cooling for green data-centers. In *2012 International Conference on Advanced Computer Science Applications and Technologies (ACSAT)* (pp. 87-91). IEEE.

de Carvalho Junior, O. A., Bruschi, S. M., Santana, R. H. C., & Santana, M. J. (2016). Green cloud meta-scheduling. *Journal of Grid Computing*, 14(1), 109-126.

Dougherty, B., White, J., & Schmidt, D. C. (2012). Model-driven auto-scaling of green cloud computing infrastructure. *Future Generation Computer Systems*, 28(2), 371-378.

Farahnakian, F., Pahikkala, T., Liljeberg, P., Plosila, J., & Tenhunen, H. (2015, June). Utilization prediction aware VM consolidation approach for green cloud computing. In *2015 IEEE 8th International Conference on Cloud Computing* (pp. 381-388). IEEE.

Ferreira, J., Dantas, J., Araujo, J., Mendonca, D., Maciel, P., & Callou, G. (2015, October). An algorithm to optimize electrical flows of private cloud infrastructures. In *2015 IEEE International Conference on Systems, Man, and Cybernetics* (pp. 771-776). IEEE.

Fioccola, G. B., Donadio, P., Canonico, R., & Ventre, G. (2016, December). Dynamic routing and virtual machine consolidation in green clouds. In *2016 IEEE International Conference on Cloud Computing Technology and Science (CloudCom)* (pp. 590-595). IEEE.

Fiorani, M., Aleksic, S., Monti, P., Chen, J., Casoni, M., & Wosinska, L. (2014). Energy efficiency of an integrated intra-data-center and core network with edge caching. *Journal of Optical Communications and Networking*, 6(4), 421-432.

Garg, S. K., Yeo, C. S., Anandasivam, A., & Buyya, R. (2011). Environment-conscious scheduling of HPC applications on distributed cloud-oriented data centers. *Journal of Parallel and Distributed Computing*, 71(6), 732-749.

Guazzone, M., Anglano, C., & Canonico, M. (2012, May). Exploiting VM migration for the automated power and performance management of green cloud computing systems. In *International Workshop on Energy Efficient Data Centers* (pp. 81-92). Springer, Berlin, Heidelberg.

Ho, T. T. N., & Pernici, B. (2015, July). A data-value-driven adaptation framework for energy efficiency for data intensive applications in clouds. In *2015 IEEE conference on technologies for sustainability (SusTech)* (pp. 47-52). IEEE.

Huang, J., Wu, K., & Moh, M. (2014, July). Dynamic Virtual Machine migration algorithms using enhanced energy consumption model for green cloud data centers. In *2014 International Conference on High Performance Computing & Simulation (HPCS)* (pp. 902-910). IEEE.

Hulkury, M. N., & Doomun, M. R. (2012, November). Integrated green cloud computing architecture. In *2012 International Conference on Advanced Computer Science Applications and Technologies (ACSAT)* (pp. 269-274). IEEE.

Hussein, S. R., Alkabani, Y., & Mohamed, H. K. (2014, December). Green cloud computing: Datacenters power management policies and algorithms. In *2014 9th International Conference on Computer Engineering & Systems (ICCES)* (pp. 421-426). IEEE.

- Itani, W., Ghali, C., Kayssi, A., Chehab, A., & Elhajj, I. (2015). G-route: an energy-aware service routing protocol for green cloud computing. *Cluster Computing*, 18(2), 889-908.
- Kaur, G., & Midha, S. (2016, January). A preemptive priority based job scheduling algorithm in green cloud computing. In *2016 6th International Conference-Cloud System and Big Data Engineering (Confluence)* (pp. 152-156). IEEE.
- Kliazovich, D., Bouvry, P., & Khan, S. U. (2012). GreenCloud: a packet-level simulator of energy-aware cloud computing data centers. *The Journal of Supercomputing*, 62(3), 1263-1283.
- Kołodziej, J., Khan, S. U., Wang, L., Kisiel-Dorohinicki, M., Madani, S. A., Niewiadomska-Szynkiewicz, E., ... & Xu, C. Z. (2014). Security, energy, and performance-aware resource allocation mechanisms for computational grids. *Future Generation Computer Systems*, 31, 77-92.
- Koutsandria, G., Skevakis, E., Sayegh, A. A., & Koutsakis, P. (2016). Can everybody be happy in the cloud? Delay, profit and energy-efficient scheduling for cloud services. *Journal of Parallel and Distributed Computing*, 96, 202-217.
- Lee, H. M., Jeong, Y. S., & Jang, H. J. (2014). Performance analysis based resource allocation for green cloud computing. *The Journal of Supercomputing*, 69(3), 1013-1026.
- Li, J., Li, B., Wo, T., Hu, C., Huai, J., Liu, L., & Lam, K. P. (2012). CyberGuarder: A virtualization security assurance architecture for green cloud computing. *Future generation computer systems*, 28(2), 379-390.
- Lin, X., Liu, Z., & Guo, W. (2015, June). Energy-efficient vm placement algorithms for cloud data center. In *Second International Conference on Cloud Computing and Big Data in Asia* (pp. 42-54). Springer, Cham.
- Liu, L., Wang, H., Liu, X., Jin, X., He, W. B., Wang, Q. B., & Chen, Y. (2009, June). GreenCloud: a new architecture for green data center. In *Proceedings of the 6th International Conference Industry Session on Autonomic Computing and Communications Industry Session* (pp. 29-38).
- Liu, Y., Shu, W., & Zhang, C. (2016). A Parallel Task Scheduling Optimization Algorithm Based on Clonal Operator in Green Cloud Computing. *J. Commun.*, 11(2), 185-191.
- Long, Z., & Ji, W. (2016). Power-efficient immune clonal optimization and dynamic load balancing for low energy consumption and high efficiency in green cloud computing. *J. Commun.*, 11(6), 558-563.
- Masanet, E. (2013). The energy efficiency potential of cloud-based software: a US case study.
- Nonde, L., Elgorashi, T. E., & Elmigahni, J. M. (2016, December). Virtual network embedding employing renewable energy sources. In *2016 IEEE Global Communications Conference (GLOBECOM)* (pp. 1-6). IEEE.
- Pahlevan, A., Rossi, M., Garcia del Valle, P., Brunelli, D., & Atienza Alonso, D. (2017). *Joint computing and electric systems optimization for green datacenters* (No. BOOK_CHAP, pp. 1-21). Springer.
- Radu, L. D. (2017). Green cloud computing: A literature survey. *Symmetry*, 9(12), 295.
- Saponara, S., Coppola, M., & Fanucci, L. (2012). How green is your cloud?-A 64-b ARM-based heterogeneous computing platform with NoC interconnect for server-on-chip energy-efficient cloud computing. In *CLOSER 2012, International Conference in Clouc Computing and Services Science* (pp. 135-140). SciTePress–Science and Technology Publications.
- Shu, W., Wang, W., & Wang, Y. (2014). A novel energy-efficient resource allocation algorithm based on immune clonal optimization for green cloud computing. *EURASIP Journal on Wireless Communications and Networking*, 2014(1), 1-9.
- Thakur, S., & Chaurasia, A. (2016, January). Towards Green Cloud Computing: Impact of carbon footprint on environment. In *2016 6th international conference-cloud system and big data engineering (Confluence)* (pp. 209-213). IEEE.
- Tyurin, S., & Kamenskih, A. (2017). Green logic: models, methods, algorithms. In *Green IT Engineering: Concepts, Models, Complex Systems Architectures* (pp. 69-86). Springer, Cham.

<https://doi.org/10.46977/apjmt.2022.v03i02.001>

Xu, L., Wang, K., Ouyang, Z., & Qi, X. (2014, August). An improved binary PSO-based task scheduling algorithm in green cloud computing. In *9th International Conference on Communications and Networking in China* (pp. 126-131). IEEE.

Xu, X., Cao, L., & Wang, X. (2016). Resource pre-allocation algorithms for low-energy task scheduling of cloud computing. *Journal of Systems Engineering and Electronics*, 27(2), 457-469.

Yang, C. T., Wang, K. C., Cheng, H. Y., Kuo, C. T., & Hsu, C. H. (2011, September). Implementation of a green power management algorithm for virtual machines on cloud computing. In *International Conference on Ubiquitous Intelligence and Computing* (pp. 280-294). Springer, Berlin, Heidelberg.

Zhang, D., Chen, Z., Cai, L. X., Zhou, H., Ren, J., & Shen, X. (2016, December). Resource allocation for green cloud radio access networks powered by renewable energy. In *2016 IEEE Global Communications Conference (GLOBECOM)* (pp. 1-6). IEEE.